


RACCORDERIE INOX

MALTERINI A.
ETALFERRO
INOX SAN ZENO - AREZZO



FLANGE



- **FLANGIA PIANA UNI 2277-67 PN 10**
- **FLANGIA RIDOTTA UNI 2277-67 PN 10**
- **FLANGIA PIANA UNI 2278-67 PN 16**
- **FLANGIA RIDOTTA UNI 2278-67 PN 16**
- **FLANGIA PIANA UNI 2276-67 PN 6**
- **FLANGIA PIANA UNI 6084-67 PN 40**
- **FLANGIA PIANA UNI 6089 PN 16**
- **FLANGIA PIANA UNI 6090-67 PN 16**
- **FLANGIA A COLLARINO UNI 2282 PN 16**
- **FLANGIA CIECA UNI 6092-67 PN 10**
- **FLANGIA CIECA UNI 6093-67 PN 16**

RACCORDERIA A SALDARE AISI 304 E 316

CURVA A 90°



Misure in pollici sp.2

| Diam.est. | | |
|-----------|--|--|
| 17.2 | | |
| 21.3 | | |
| 26.9 | | |
| 33.7 | | |
| 42.4 | | |
| 48.3 | | |
| 60.3 | | |
| 76.1 | | |
| 88.9 | | |
| 101.6 | | |
| 114.3 | | |
| 129 | | |
| 139.7 | | |
| 154 | | |
| 168 | | |
| | | |

TEE A SALDARE

AISI 304/316

FONDO BOMBATO



| Diam.Est. | SP.2 | | Diam.Est. | SP.2 |
|-----------|------|--|-----------|------|
| 17.2 | | | 17.2 | |
| 21.3 | | | 21.3 | |
| 26.9 | | | 26.9 | |
| 33.7 | | | 33.7 | |
| 42.4 | | | 42.4 | |
| 48.3 | | | 48.3 | |
| 60.3 | | | 60.3 | |
| 76.1 | | | 76.1 | |
| 88.9 | | | 88.9 | |
| 101.6 | | | 101.6 | |
| 114.3 | | | 114.3 | |
| 129 | | | 129 | |
| 139.7 | | | 139.7 | |
| 154 | | | 154 | |
| 168 | | | 168 | |

Altre misure a richiesta

RIDUZIONE CONCENTRICHE AISI 304/316



| Diam.Est. | SP.2 | Diam.Est. |
|-----------|------|-------------|
| 21.3-17.2 | | 88.9-76.1 |
| 26.9-21.3 | | 88.9-60.3 |
| 26.9-17.2 | | 88.9-48.3 |
| 33.7-26.9 | | 88.9-42.4 |
| 33.7-21.3 | | 88.9-33.7 |
| 33.7-17.2 | | 101.6-88.9 |
| 42.4-33.7 | | 101.6-76.1 |
| 42.4-26.9 | | 101.6-60.3 |
| 42.4-21.3 | | 101.6-48.3 |
| 42.4-17.2 | | 114.3-101.6 |
| 48.3-42.4 | | 114.3-88.9 |
| 48.3-33.7 | | 114.3-76.1 |
| 48.3-26.9 | | 114.3-60.3 |
| 48.3-21.3 | | 114.3-48.3 |
| 60.3-48.3 | | 139.7-114.3 |
| 60.3-42.4 | | 139.7-101.6 |
| 60.3-33.7 | | 139.7-88.9 |
| 60.3-26.9 | | 139.7-76.1 |
| 60.3-21.3 | | 168.3-139.7 |
| 76.1-60.3 | | 168.3-114.3 |
| 76.1-48.3 | | 168.3-101.6 |
| 76.1-42.4 | | 168.3-88.9 |
| 76.1-33.7 | | 168.3-76.1 |
| 76.1-26.9 | | 219.1-169.3 |

COLLARE CON DADO INOX AISI 304



| Diam.in pollici | |
|-----------------|--|
| 3/8" | |
| 1/2" | |
| 3/4" | |
| 1" | |
| 1"1/4 | |
| 1"1/2 | |
| 2" | |
| 2"1/2 | |
| 3" | |
| 4" | |

CARTELLE MISURE GAS AISI 304/316



| Diam.esterno | SP.2 | Diam.esterno |
|--------------|------|--------------|
| 17.2 | | 88.9 |
| 21.3 | | 114.3 |
| 26.9 | | 139.7 |
| 33.7 | | 168.3 |
| 42.4 | | 219.1 |
| 48.3 | | 273 |
| 60.3 | | |
| 76.1 | | |

MALTERINI A. METALFERRO

RACCORDERIA MICROFUSA INOX AISI 316

VALVOLA A SFERA F.F.

RACCORDO A "T" F.F.F.



| Diam.in pollici | | Diam.in pollici |
|-----------------|--|-----------------|
| 1/4" | | 1/8" |
| 3/8" | | 1/4" |
| 1/2" | | 3/8" |
| 3/4" | | 1/2" |
| 1" | | 3/4" |
| 1"1/4 | | 1" |
| 1"1/2 | | 1"1/4 |
| 2" | | 1"1/2 |
| 2"1/2 | | 2" |
| 3" | | 2"1/2 |
| | | 3" |

GOMITO FEM.FEM.

GOMITO MAS.FEM.



| Diam.in pollici | | Diam.in pollici |
|-----------------|--|-----------------|
| 1/8" | | 1/8" |
| 1/4" | | 1/4" |
| 3/8" | | 3/8" |
| 1/2" | | 1/2" |
| 3/4" | | 3/4" |
| 1" | | 1" |
| 1"1/4 | | 1"1/4 |
| 1"1/2 | | 1"1/2 |
| 2" | | 2" |
| 2"1/2 | | 2"1/2 |
| 3" | | 3" |

BOCCHETTONE FEM.FEM.



BOCCHETTONE MAS.FEM.



| Diam.in pollici | | Diam.in pollici |
|-----------------|--|-----------------|
| 1/8" | | 1/8" |
| 1/4" | | 1/4" |
| 3/8" | | 3/8" |
| 1/2" | | 1/2" |
| 3/4" | | 3/4" |
| 1" | | 1" |
| 1"1/4 | | 1"1/4 |
| 1"1/2 | | 1"1/2 |
| 2" | | 2" |
| 2"1/2 | | 2"1/2 |
| 3" | | 3" |

TAPPO FEM.



TAPPO MAS.



| Diam.in pollici | | Diam.in pollici |
|-----------------|--|-----------------|
| 1/8" | | 1/8" |
| 1/4" | | 1/4" |
| 3/8" | | 3/8" |
| 1/2" | | 1/2" |
| 3/4" | | 3/4" |
| 1" | | 1" |
| 1"1/4 | | 1"1/4 |
| 1"1/2 | | 1"1/2 |
| 2" | | 2" |
| 2"1/2 | | 2"1/2 |
| 3" | | 3" |

NIPPLE ESAGONALE



| Diam.in pollici | | | |
|-----------------|--|---|--|
| 1/8" | | | |
| 1/4" | | | |
| 3/8" | | | |
| 1/2" | | | |
| 3/4" | | | |
| 1" | | | |
| 1"1/4 | | | |
| 1"1/2 | | | |
| 2" | | " | |
| 2"1/2 | | | |
| 3" | | | |

PORTAGOMMA



RIDUZIONE MAS.FEM.



| Diam.in pollici | | Diam.in pollici | Diam.in pollici |
|-----------------|--|-----------------|-----------------|
| 1/8" | | 1/4"-1/8" | 1"1/4-1/2" |
| 1/4" | | 3/8"-1/4" | 1"1/4-3/4" |
| 3/8" | | 1/2"-1/4" | 1"1/4-1" |
| 1/2" | | 1/2"-3/8" | 1"1/2-3/4" |
| 3/4" | | 3/4"-3/8" | 1"1/2-1" |
| 1" | | 3/4"-1/2" | 1"1/2-1"1/4 |
| 1"1/4 | | 1"-1/2" | 2"-1" |
| 1"1/2 | | 1"-3/4" | 2"-1"1/4 |
| 2" | | | 2"-1"1/2 |
| 2"1/2 | | | |
| 3" | | | |

RACORDERIA RICAVATA FILETTATA GAS DA MASSELLO

**NIPPLI SEMPLICI TUTTO
FILETTO INOX AISI 316**



TRONCHETTO INOX AISI 304/316



| Diam.in pollici | | Diam.in pollici |
|------------------------|--|------------------------|
| 1/8" | | 1/8" |
| 1/4" | | 1/4" |
| 3/8" | | 3/8" |
| 1/2" | | 1/2" |
| 3/4" | | 3/4" |
| 1" | | 1" |
| 1"1/4 | | 1"1/4 |
| 1"1/2 | | 1"1/2 |
| 2" | | 2" |
| | | 2"1/2 |
| | | 3" |
| | | 4" |

MANICOTTO AISI 304/316



CONTRODADO AISI 304 Disponibile anche microfuso



| Diam.in pollici | 2" | Diam.in pollici |
|-----------------|-------|-----------------|
| 1/8" | 2"1/2 | 1/4" |
| 1/4" | 3" | 3/8" |
| 3/8" | 4" | 1/2" |
| 1/2" | | 3/4" |
| 3/4" | | 1" |
| 1" | | 1"1/4 |
| 1"1/4 | | 1"1/2 |
| 1"1/2 | | 2" |

BARILOTTO INOX AISI 316



CROCE INOX AISI 316



| Diam. In pollici | H.mm |
|------------------|------|
| 1/4" | 40 |
| 3/8" | 40 |
| 1/2" | 60 |
| 3/4" | 60 |
| 1" | 80 |
| 1 1/4" | 80 |
| 1 1/2" | 80 |
| 2" | 100 |

| |
|-------|
| 3/8" |
| 1/2" |
| 3/4" |
| 1" |
| 1"1/4 |
| 1"1/2 |
| 2" |

MALTERINI A. METALFERRO INOX SAN ZENO - AREZZO

VALVOLA A SFERA



VALVOLA A FARFALLA



| |
|--------|
| DN 25 |
| DN 32 |
| DN 40 |
| DN 50 |
| DN 65 |
| DN 80 |
| DN 100 |



RETE ELETTROSALDATA



QUDRO 10X10 FILO 1
IN BOBINA H.1000mm


QUDRO 20X20 FILO 2
30X30 FILO 3
40X40 FILO 4
50X50 FILO 4
DIMENSIONI FOGLI 2000X1000mm

RETE TEC

FOGLIO 2000X1000



105+15



LAMIERE FORATE INOX
VARI SPESSORI E
MISURE